



AMENDMENT TRANSMITTAL LETTER

Docket No.
04995/132001

Application No.
10/761,738-Conf. #3634

Filing Date
January 21, 2004

Examiner
N. W. Ha

Art Unit
2814

Applicant(s): Kazuteru Adachi et al.

Invention: MOUNTING STRUCTURE FOR BALL GRID ARRAY TYPE IC

TO THE COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED					
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate	
Total Claims	8	- 20 =		x	
Independent Claims	4	- 4 =		x	
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
Other fee (please specify): Extension for response within first month					120.00
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:					120.00

☒ Large Entity

☐ Small Entity

☐ No additional fee is required for this amendment.

☐ Please charge Deposit Account No. 50-0591 in the amount of \$.
A duplicate copy of this sheet is enclosed.

☐ A check in the amount of \$ to cover the filing fee is enclosed.

☒ Payment by credit card. Form PTO-2038 is attached.

☒ The Director is hereby authorized to charge and credit Deposit Account No. 50-0591
as described below. A duplicate copy of this sheet is enclosed.

☒ Credit any overpayment.

☒ Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.

Jonathan P. Osha
Jonathan P. Osha *T. Chyau Liang*
Attorney/Agent Reg. No.: 33,986 *#48,885*

Dated: April 14, 2006

OSHA · LIANG LLP
1221 McKinney St., Suite 2800
Houston, Texas 77010
(713) 228-8600



Docket No.: 04995/132001
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Kazuteru Adachi et al.

Confirmation No.: 3634

Application No.: 10/761,738

Art Unit: 2814

Filed: January 21, 2004

Examiner: N. W. Ha

For: MOUNTING STRUCTURE FOR BALL GRID
ARRAY TYPE IC

REPLY UNDER 37 C.F.R. § 1.111

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:



In response to the election of species requirement set forth in the Office Action mailed February 14, 2006, Applicant respectfully notes that the Examiner may have overlooked the embodiments shown in Figures 5A, 5B, and 6 of the Specification. Assuming that this is an oversight, Applicant hereby elects the species shown in Figures 5A, 5B, and 6, on which claims 6-8 read, for continued prosecution without traverse. If this assumption is incorrect, Applicant respectfully requests that the Examiner contact Applicant's representative at the phone number shown below.

No claim is considered generic. Please withdraw the non-elected claims from further prosecution. The non-elected claims will be canceled in due course.

Applicant believes this reply is fully responsive to all outstanding issues and places this application in condition for allowance. If this belief is incorrect, or other issues arise, the Examiner is encouraged to contact the undersigned or his associates at the telephone number listed below. Please apply any charges not covered, or any credits, to Deposit Account 50-0591 (Reference Number 04995/132001).

Dated: April 14, 2006

Respectfully submitted,

By 
for Jonathan P. Osha 
Registration No.: 33,986-~~48,885~~
OSHA · LIANG LLP
1221 McKinney St., Suite 2800
Houston, Texas 77010
(713) 228-8600
(713) 228-8778 (Fax)
Attorney for Applicant